# PAWS Grade 8 Mathematics Assessment Targets 2012-2013 Field Test 2013-2014 Field Test

**Based on the 2012 Wyoming Content Standards** 

The assessment targets for 2013 (Phase I) and 2014 (Phase II) PAWS were influenced by the Critical Areas of Focus identified in the Common Cores State Standards. These standards are prioritized in the grade level overview of the Common Core State Standards, and are presented below:

In Grade 8, instructional time should focus on three critical areas: (1) formulating and reasoning about expressions and equations, including modeling an association in bivariate data with a linear equation, and solving linear equations and systems of linear equations; (2) grasping the concept of a function and using functions to describe quantitative relationships; (3) analyzing two- and three-dimensional space and figures using distance, angle, similarity, and congruence, and understanding and applying the Pythagorean Theorem.

(1) Students use linear equations and systems of linear equations to represent, analyze, and solve a variety of problems. Students recognize equations for proportions (y/x = m or y = mx) as special linear equations (y = mx + b), understanding that the constant of proportionality (m) is the slope, and the graphs are lines through the origin. They understand that the slope (m) of a line is a constant rate of change, so that if the input or x-coordinate changes by an amount A, the output or y-coordinate changes by the amount  $m \cdot A$ . Students also use a linear equation to describe the association between two quantities in bivariate data (such as arm span vs. height for students in a classroom). At this grade, fitting the model, and assessing its fit to the data are done informally. Interpreting the model in the context of the data requires students to express a relationship between the two quantities in question and to interpret components of the relationship (such as slope and y-intercept) in terms of the situation.

Students strategically choose and efficiently implement procedures to solve linear equations in one variable, understanding that when they use the properties of equality and the concept of logical equivalence, they maintain the solutions of the original equation. Students solve systems of two linear equations in two variables and relate the systems to pairs of lines in the plane; these intersect, are parallel, or are the same line. Students use linear equations, systems of linear equations, linear functions, and their understanding of slope of a line to analyze situations and solve problems.

- (2) Students grasp the concept of a function as a rule that assigns to each input exactly one output. They understand that functions describe situations where one quantity determines another. They can translate among representations and partial representations of functions (noting that tabular and graphical representations may be partial representations), and they describe how aspects of the function are reflected in the different representations.
- (3) Students use ideas about distance and angles, how they behave under translations, rotations, reflections, and dilations, and ideas about congruence and similarity to describe and analyze two-dimensional figures and to solve problems.

Students show that the sum of the angles in a triangle is the angle formed by a straight line, and that various configurations of lines give rise to similar triangles because of the angles created when a transversal cuts parallel lines. Students understand the statement of the Pythagorean Theorem and its converse, and can explain why the Pythagorean Theorem holds, for example, by decomposing a square in two different ways. They apply the Pythagorean Theorem to find distances between points on the coordinate plane, to find lengths, and to analyze polygons. Students complete their work on volume by solving problems involving cones, cylinders, and spheres.

## **The Number System - Grade 8**

Know that there are numbers that are not rational, and approximate them by rational numbers.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.NS.1		Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.
8.NS.2	Use rational approximations of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line diagram, and estimate the value of expressions (e.g., $\pi^2$ ). For example, by truncating the decimal expansion of $\sqrt{2}$ , show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better approximations.	

## **Expressions and Equations - Grade 8**

## Work with radicals and integer exponents.

Standard Code	Phase I 2013 Field Test	Phase II 2014 Field Test
8.EE.1	Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{-5} = 3^{-3} = 1/3^3 = 1/27$ .	
8.EE.2	Use square root symbols to represent solutions to equations of the form $x^2 = p$ , where $p$ is a positive rational number. Evaluate square roots of small perfect squares. Know that $\sqrt{2}$ is irrational.	Use square root and cube root symbols to represent solutions to equations of the form $x^2 = p$ and $x^3 = p$ , where $p$ is a positive rational number. Evaluate square roots of small perfect squares and cube roots of small perfect cubes. Know that $\sqrt{2}$ is irrational.
8.EE.3		Use numbers expressed in the form of a single digit times a whole-number power of 10 to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as 3 times 10 <sup>8</sup> and the population of the world as 7 times 10 <sup>9</sup> , and determine that the world population is more than 20 times larger.
8.EE.4		Perform operations with numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Use scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g., use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology.

## Expressions and Equations - Grade 8 (Continued)

# Understand the connections between proportional relationships, lines, and linear equations.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.EE.5	Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	
8.EE.6	Use similar triangles to explain why the slope m is the same between any two distinct points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at $b$ .	

## Expressions and Equations - Grade 8 (Continued)

## Analyze and solve linear equations and pairs of simultaneous linear equations.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.EE.7	Solve linear equations in one variable.  a. Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively transforming the given equation into simpler forms, until an equivalent equation of the form <i>x</i> = <i>a</i> , <i>a</i> = <i>a</i> , or <i>a</i> = <i>b</i> results (where <i>a</i> and <i>b</i> are different numbers).  b. Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	
8.EE.8		Analyze and solve pairs of simultaneous linear equations.  a. Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.  b. Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, 3x + 2y = 5 and 3x + 2y = 6 have no solution because 3x + 2y cannot simultaneously be 5 and 6.

#### $Expressions \ and \ Equations \ \hbox{-} \ Grade \ 8 \ ({\sf Continued})$

# Analyze and solve linear equations and pairs of simultaneous linear equations. (Continued)

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.EE.8 (Continued)		c. Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.

#### **Functions - Grade 8**

#### Define, evaluate, and compare functions.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.F.1	Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	
8.F.2	Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.	
8.F.3	Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line.	Give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points $(1,1)$ , $(2,4)$ and $(3,9)$ , which are not on a straight line.

## Functions - Grade 8 (Continued)

## Use functions to model relationships between quantities.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.F.4	Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two ( <i>x</i> , <i>y</i> ) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	
8.F.5	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.

## **Geometry - Grade 8**

Understand congruence and similarity using physical models, transparencies, or geometry software.

Standard Code	Phase I 2013 Field Test	Phase II 2014 Field Test
8.G.1	Verify experimentally the properties of rotations, reflections, and translations:  a. Lines are taken to lines, and line segments to line segments of the same length.  b. Angles are taken to angles of the same measure.  c. Parallel lines are taken to parallel lines.	
8.G.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	
8.G.3	Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	
8.G.4	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.	

#### Geometry - Grade 8 (Continued)

# Understand congruence and similarity using physical models, transparencies, or geometry software. (Continued)

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.G.5	Use informal arguments to establish facts about the angle sum and exterior angle of triangles, about the angles created when parallel lines are cut by a transversal. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.	Use informal arguments to establish facts about the angle-angle criterion for similarity of triangles.

#### Understand and apply the Pythagorean Theorem.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.G.6	Explain a proof of the Pythagorean Theorem and its converse.	
8.G.7	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.	
8.G.8		Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.

# Solve real-world and mathematical problems involving volume of cylinders, cones, and spheres.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.G.9	Know the formulas for the volumes of cones and cylinders and use them to solve real-world and mathematical problems.	Know the formula for the volume of a sphere and use it to solve real-world and mathematical problems.

## **Statistics and Probability - Grade 8**

## Investigate patterns of association in bivariate data.

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.SP.1	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	
8.SP.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	
8.SP.3	Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.	

## Statistics and Probability - Grade 8 (Continued)

## Investigate patterns of association in bivariate data. (Continued)

Standard	Phase I	Phase II
Code	2013 Field Test	2014 Field Test
8.SP.4	Understand that patterns of	
	association can also be seen in	
	bivariate categorical data by	
	displaying frequencies and relative	
	frequencies in a two-way table.	
	Construct and interpret a two-way	
	table summarizing data on two	
	categorical variables collected from	
	the same subjects. Use relative	
	frequencies calculated for rows or	
	columns to describe possible	
	association between the two	
	variables. For example, collect data	
	from students in your class on	
	whether or not they have a curfew on	
	school nights and whether or not	
	they have assigned chores at home.	
	Is there evidence that those who have	
	a curfew also tend to have chores?	